

Technical Data Sheet

Bodyline Plastic Adhesion Promoter.

Product Code:	BDPBAP200
Revision Date:	16/09/2021
Revision Number:	01
Company:	PPG Industries (UK) Limited
Address:	Needham Road, Stowmarket, Suffolk IP14 2AD U.K.
Telephone:	0044 (0) 1449 773338
Email:	enquiries@ppg.com

Introduction:

- Bodyline Adhesion Promoter Primer is a compound for the preparation of plastic surfaces, made of resins dispersed in solvents. Improves the adhesion of structural adhesives on thermoplastic materials such as PMMA, SAN, ABS, PP, PA, TPU, rigid PVC, CA.

Characteristics:

Appearance Aerosol 200ml
Colour transparent colourless
Density 0,86 kg/L (+/- 0,04, at 20°C (liquid stage)
Propellant G.P.L. (propane / butane)
Flammability Extremely flammable

Features and benefits:

- Handy 200ml aerosol spray.
- Available separately or part of Bodyline Plastic Repair kit - BDPBPRK

Application:

- Shake well before use.
- Use in a well ventilated area.
- Wearing the correct PPE for the task.
- Spray a thin layer of Bodyline adhesion promoter directly onto the prepared parts.
- Keeping the aerosol can in a vertical position.
- The product favours a subsequent effective adhesion of paints, glues, inks.
- Apply in strictly necessary quantities to avoid runs and waste of product.
- Wait for at least 5 minutes 23°C before applying the adhesive.

Storage:

- Store in original packaging in a warm dry space. Do not let the product be exposed to direct sunlight.
- Extremely flammable.

For further technical information, please see the relevant MSDS

This data sheet is compiled to be of assistance but without guarantee. Users are responsible for safe working practices. Final determination of suitability of any material is the sole responsibility of the user.

bodyline[®]

CH

PPG Industries (UK) Limited

Needham Road, Stowmarket, Suffolk IP14 2AD U.K.

Tel : 01449 773338

The PPG Logo and Bodyline are registered trademarks of PPG Industries Ohio, Inc.
© 2021 PPG Industries. All rights reserved.

